EAST Search History

	נ7	6	ር	7	- 2 "	<u>ت</u>	2		# Ref
	341	2	. 19	132		4	909	196	Hits
	(703/26).CCLS	("5313614" "5404478").PN.	"S/390" with emulat\$4	L2 and emulat\$4		"S/390" with legacy with instruction	"5/390"	legacy with instruction with (translation emulat\$4 simulat\$4 execut\$4)	Search Query
USOCR; EPO; JPO; DERWENT; IBM_TD8	USOCR US-PGPUB;	IBM_TDB US-PGPUB; USPAT:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT;	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DBs
- - - - -	£	9	O _R	Я	÷.	Я	Я	€	Default Operator
	OFF	엵	2	N _O		8	O	Q.	Plurals
	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21		2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	Time Stamp
	e XI	USOCR US-PGPUB; OR OFF US-PGPUB; OR OFF USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	2 ("5313614" "5404478").PN. US-PAGPUB; OR OFF	19 "\$/390" with emulat\$4 US-PGPUB; OR ON US-PGPUB; USOCR; USOCR; EPO; JPO; DERWENT; IBM_TDB 2 ("\$313614" "\$404478").PN. US-PGPUB; OR OFF USPAT; USOCR; USPAT; USOCR; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	132 L2 and emulat\$4	USOCR; EPO; JPO; DERWENT; IBM_TDB 132 L2 and emulat\$4 US-PGPUB; OR ON US-PGPUB; OR OFF USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB 2 ("5313614" "5404478").PN. US-PGPUB; OR OFF USPAT; USOCR; USPAT; USOCR; US-PGPUB; OR OFF USPAT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; US-PGPUB; OR OFF USPAT; USOCR; EPO; JPO; DERWENT; USOCR; USPAT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; USPAT; USOCR; EPO; JPO; DERWENT; USOCR; USPAT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; USPAT; USOCR; EPO; JPO; DERWENT; EPO; JPO; DER	4 "\$/390" with legacy with instruction US-PGPUB; OR ON USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; OR ON USPAT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USPAT; U	909 "\$/390" With legacy with instruction US-PGPUB; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; US-PGPUB; OR ON USPAT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USPAT; USPAT; USOCR; EPO; JPO; DERWENT; USPAT; USPAT	196 legacy with instruction with US-PGPUB; CR Cranslation emulaits4 US-PGPUB; US-PGPUB;

EAST Search History

122	7	25	L19	. L18	ш	116	115	Ę	LI3	L12	E		110	ь
	=	16	65	258	46	776	236	_	18	33			. 87	8
1 L16 and (block with transform)	1 L16 and translation with flag	6 L16 and ((table with index) same translat\$5)	L16 and (table with index)	8 L17 and (translat\$5)	0 L16 and (table or index)	6 L7 or L8	6 instruction adj set adj simulat\$4	9 ("4574344" "4635188" "4638423" "4761733" "5333287" "5406644" "5430862" "5481693" "5546552") P.N.	8 L12 and (store with instruction)	3 ("4638423").URPN.	2 "09/992130"		7 L7 and (instruction with translats)	0 (B and (instruction with translat\$)
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USPAT	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DERWENT;	US-PGPUB; USPAT; USOCR;	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
S	Я Я		Ş	- ' <u>S</u>	Ş	Q.	Q.	Я	S	S	Я		Э	Я
OFF	OFF	9	유	OFF	유	OFF	OFF	OFF	위	유	OFF		OFF	OFF
2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21		2006/05/12 12:21	2006/05/12 12:21

Page 1

5/12/2006 12:29:38 PM C:\Documents and Settings\asaxena\My Documents\EAST\Workspaces\(09992130.wsp

5/12/2006 12:29:38 PM C:\Documents and Settings\asaxena\My Documents\EAST\Workspaces\09992130.wsp

Page 2

EAST Search History

, •

. LS	Ē		띦	129	L28	L27	72	泛	Ę4	2
538	621		2897	242	987	415	20960	199	· P	H
L31 and table	L30 and emulat\$4	Andre selven	(instruction and (block with translation))	(instruction with translat\$5 with (index flag table)) and (emulat\$4)	(instruction with translat\$5 with (index flag table set)) and (emulat\$4 simulat\$4 model\$4)	(instruction with translat\$5 with (index flag table)) and (emulat\$4 simulat\$4 model\$4)	(translat\$5 with (index flag table set)) and (emulat\$4 simulat\$4 model\$4)	L16 and flag	L16 and (block with transform)	L22 and address
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DERWENT;	USPAT;	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCK	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR
Q ,	Я		Ş	ᄋᆇ	웆	웃	<u>, , , , , , , , , , , , , , , , , , , </u>	Q,	웃	Ş
OFF	OFF	* *	OFF	OFF	위	OFF	OFF	OFF	O.T.	양
2006/05/12 12:21	2006/05/12 12:21		2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21
	538 L31 and table US-RGPUB; OR USPAT; OR USPAT; EVS. DPC; DERWENT; IBM_TDB	621 L30 and emulat#4 US-PGPUB; OR OFF USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; OR OFF USPAT; USOCR; USOC	621 L30 and emulat\$4 US-PGPUB; OR OFF US	2897 (Instruction and (block with US-PGPUB; OR OFF translation)) US-PGPUB; OR OFF USPAT; USOCR; EPO; JPO; DERWENT; US-PGPUB; OR OFF USPAT; USPAT; US-PGPUB; OR OFF USPAT; USPAT; US-PGPUB; OR OFF USP	242 (Instruction with translat\$5 with (US-PGPUB; OR (Index flag table)) and (emulat\$4) US-PGPUB; OR (Instruction and (block with) US-PGPUB; OR (Instruction and (block with) US-PGPUB; OR (Instruction and (block with) US-PGPUB; OR (Instruction)) US-PGPUB; OR (Instruction) DERWENT; US-PGPUB; US-PGPUB	(instruction with translat\$5 with (US-PGPUB) OR (index flag table set)) and (USPAT) (Instruction with translat\$5 with (Instruction and (block with USPAT) (USPAT) (Instruction and (block with USPAT) (USPAT)	415 (instruction with translat\$5 with (index flag table) and (emulat\$4 (SPAT; Simulat\$4 model\$4) (Instruction with translat\$5 with (SPAT; Gindex flag table set)) and (US-PGPUB; OR OFF (index flag table set)) and (US-PGPUB; OR OFF (index flag table)) and (emulat\$4 (US-PGPUB; OR OFF (Instruction and (blook with US-PGPUB; OR OFF (Instruction and (blook with US-PGPUB; OR OFF (Instruction)) (US-PGPUB; OR OFF (Instruction)) (US-PGP	20960 (translat\$5 with (index flag table set!) and (emulat\$4 simulat\$4 (USPAT; model\$4) 415 (instruction with translat\$5 with (USPAT; simulat\$4 model\$4) 987 (instruction with translat\$5 with (USPAT; simulat\$4 model\$4) 988 (instruction with translat\$5 with (USPAT; simulat\$4 simulat\$4 with (USPAT; simulat\$4 model\$4) 242 (instruction with translat\$5 with (USPAT; simulat\$4 model\$4) (index flag table) and (emulat\$4) 242 (instruction and (block with USPAT; USDCR; spaT; USDCR; EPO; JPO; DERWENT; USDCR; EPO; JPO; DERWENT; USPAT; U	199 L16 and flag US-PGPUB; OR OFF USPAT; USOCR 20960 (translat‡5 with (index flag table set)) and (emulat‡4 simulat‡4 uSOCR 415 (instruction with translat‡5 with (index flag table)) and (emulat‡4 uSOCR) (instruction with translat‡5 with (US-PGPUB; OR OFF (index flag table set)) and (emulat‡4 uSOCR) (instruction with translat‡5 with (US-PGPUB; OR OFF (index flag table)) and (emulat‡4 uSOCR) (instruction and (block with uSPAT; USOCR) (instruction and (b	1 L16 and (block with transform) US-PGPUB; OR OFF USPAT; USOCR 199 L16 and flag US-PGPUB; OR OFF USPAT; USOCR (translat\$5 with (index flag table set)) and (emulat\$4 simulat\$4 with (uSPAT; uSOCR (index flag table)) and (emulat\$4 uSOCR (uSPAT; uspat;

EAST Search History

.44		Ę		, ,	45	4	43	L42	de.	1	£	÷	<u></u>		L37	<u></u>	i de	(d)	ដូ	Ç
		· 5	1000	=	190	8	1	24		122	22	у	. 85		680	25			186	
		(block adj tracking adj table)	Grand Market Control of the Control	finite: ac	amdahl.as	(instruction with translat\$5) and hotspot	("6516295").URPN.	legacy with instruction with translation		translation adj index\$5	L16 and (translation with (flag set indicator))	L16 and (translation with (done complet\$4) with (flag set indicator))	L37 and L34	Indexes	(dynamic with translation) and	L15 and L34			((instruction with translation) and (index\$5 with (block table) with translation))	((Instruction with translation)) (block with translation))
DERWENT;	EPO; JPO;	USPAT;	200	TOPAT	USPAT	USPAT	USPAT	US-PGPUB; USPAT; USOCR	USOCR	US-PGPUB;	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	USOCR	US-PGPUB;	US-PGPUB; USPAT; USOCR	IBM_TDB	EPO, JPO,	US-PGPUB; USPAT; USOCR;	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19		9	3 9	8 9	9	웆	유	웆		웃	웆	· · · · · · · · · · · · · · · · · · ·	웃		웆	웆	э.		S	<u> </u>
					٠,		2								1 11		Ţ.	i:		
		2	2 9	2 9	OFF F	OFF	OFF.	OFF		OFF	OFF	O.F	Off	i	유	OFF		-	유	Ç
	•	22.27 21 (10/0002	2006/05/12 1	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21		2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21		2006/05/12 12:21	2006/05/12 12:21		-	2006/05/12 12:21	2008/03/12

5/12/2006 12:29:38 PM C:\Documents and Settings\asaxena\My Documents\EAST\Workspaces\(09992130.wsp

Page 3

5/12/2006 12:29:38 PM C:\Documents and Settings\asaxena\My Documents\EAST\Workspaces\09992130.wsp

C:\Documents and Settings\asaxena\My	2/12/2005 12:25:38 PM
Documents\EAST\Workspaces\09992130.wsp	

ង	25	ក្ម	150	49	L48
				216	1367
16	2	14	16	- 6	
(US-20040194070-\$).did. or (US-4308423-\$ or US-5501302-\$ or US-5501302-\$ or US-557233-\$ or US-557233-\$ or US-577233-\$ or US-577233-\$ or US-577233-\$ or US-5793622-\$ or US-609261-\$ or US-609261-\$ or US-6078927-\$ or US-6142682-\$ or US-6785801-\$ or US-6704925-\$ or US-6785801-\$ or US-6243668-\$ or US-577231-\$).	(dynamic adj object adj code adj translation).ti.	L50 and modifi\$6	(US-20040194070-\$).did. or (US-4638423-\$ or US-550013-\$ or US-5596523-\$ or US-550013-\$ or US-557233-\$ or US-5751982-\$ or US-5790825-\$ or US-5933622-\$ or US-609261-\$ or US-6075937-\$ or US-6142682-\$ or US-6516295-\$ or US-6143668-\$ or US-5785801-\$ or US-6243668-\$ or US-577231-\$). did.	L48 and (TLB with (size index))	(instruction with translation) and (TLB)
US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	වූ	9	Ş	Я	Q
4	OFF.) 1 OH	OFF	9	OFF
2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21	2006/05/12 12:21

Page 5